




# Sicherheitsdatenblatt

## Safety data sheet



000914 Clean Basic - spray bottle / Sprühflasche 1 l

000915 Clean Basic - canister / Kanister 5 l

BERND SIEGMUND GMBH · LANDSBERGER STRASSE 180 · 86507 OBEROTTMARSHAUSEN · GERMANY

PHONE: (+49) 0 82 03 – 96 07 0 · FAX: (+49) 0 82 03 – 96 07 33

E-MAIL: [INFO@SIEGMUND.COM](mailto:INFO@SIEGMUND.COM) · WEB: [WWW.SIEGMUND.COM](http://WWW.SIEGMUND.COM)

# SAFETY DATA SHEET

SIEGMUND CLEANBASIC

Page: 1

Compilation date: 16.02.2018

Revision date: 23.08.2021

Revision No: 1.4

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product name:** SIEGMUND CLEANBASIC

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** PC35: Washing and cleaning products (including solvent based products).

### 1.3. Details of the supplier of the safety data sheet

**Company name:** Bernd Siegmund GmbH  
Landsberger Straße 180  
86507 Oberottmarshausen  
**Tel:** (08203) 9607/0  
**Fax:** (08203) 9607/33  
**Email:** [info@siegmund.com](mailto:info@siegmund.com)

### 1.4. Emergency telephone number

**Emergency tel:** 089 / 19240

## Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Classification under CLP:** Eye Dam. 1: H318

**Most important adverse effects:** Causes serious eye damage.

### 2.2. Label elements

**Label elements:**

**Hazard statements:** H318: Causes serious eye damage.

**Hazard pictograms:** GHS05: Corrosion



**Signal words:** Danger

**Precautionary statements:** P102: Keep out of reach of children.

P280: Wear protective gloves/eye protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

[cont...]

# SAFETY DATA SHEET

SIEGMUND CLEANBASIC

Page: 2

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

DIPROPYLENE GLYKOL METHYLEETHER - REACH registered number(s): 01-2119450011-60-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
252-104-2	34590-94-8	Substance with a Community workplace exposure limit.	-	1-10%

FETTALKOHOLALKOXYLAT (C10)

GELISTET	166736-08-9	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%
----------	-------------	---	--------------------------------------	-------

BRONOPOL (INN) - REACH registered number(s): 01-2119980938-15-XXXX

200-143-0	52-51-7	-	Acute Tox. 4: H312; Acute Tox. 4: H302; STOT SE 3: H335; Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400	<1%
-----------	---------	---	---	-----

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately.  
Consult a doctor.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be pain and redness. The eyes may water profusely. There may be severe pain.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

[cont...]

# SAFETY DATA SHEET

SIEGMUND CLEANBASIC

Page: 3

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** Must only be kept in original packaging.

### 7.3. Specific end use(s)

**Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Workplace exposure limits:** No data available.

### DNEL/PNEC Values

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Hand protection:** Protective gloves. PVC gloves. Nitrile gloves.

**Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**Environmental:** Refer to specific Member State legislation for requirements under Community environmental legislation.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Colour:** Yellow

[cont...]

# SAFETY DATA SHEET

SIEGMUND CLEANBASIC

Page: 4

**Odour:** Aromatic

**Evaporation rate:** Negligible

**Oxidising:** Non-oxidising (by EC criteria)

**Solubility in water:** Miscible in all proportions

**Also soluble in:** No data available

**Viscosity:** Non-viscous

**Boiling point/range°C:** 50-150 °C

**Melting point/range°C:** No data available.

**Flammability limits %: lower:** No data available.

**upper:** No data available.

**Flash point°C:** No data available.

**Part.coeff. n-octanol/water:** No data available.

**Autoflammability°C:** No data available.

**Vapour pressure:** Nicht bestimmt

**Relative density:** No data available.

**pH:** 8-9 (20°C)

**VOC g/l:** No data available.

## 9.2. Other information

**Other information:** Not applicable.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

**Conditions to avoid:** Heat.

### 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

**Hazardous ingredients:**

#### DIPROPYLENE GLYKOL METHYLETHER

DERMAL	RBT	LD50	9510	mg/kg
ORAL	RAT	LD50	5140	mg/kg

[cont...]

# SAFETY DATA SHEET

SIEGMUND CLEANBASIC

Page: 5

## FETTALKOHOLALKOXYLAT (C10)

ORAL	RAT	LD50	300-2000	mg/kg
------	-----	------	----------	-------

## BRONOPOL (INN)

ORL	MUS	LD50	270	mg/kg
ORL	RAT	LD50	180	mg/kg
SKN	MUS	LD50	4750	mg/kg
SKN	RAT	LD50	1600	mg/kg

**Toxicity values:** No data available.

### Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be pain and redness. The eyes may water profusely. There may be severe pain.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

**Other information:** Not applicable.

## Section 12: Ecological information

### 12.1. Toxicity

#### Hazardous ingredients:

#### FETTALKOHOLALKOXYLAT (C10)

Brachydanio rerio	96H LC50	>10-100	mg/l
Daphnia magna	48H EC50	>10-100	mg/l

### 12.2. Persistence and degradability

**Persistence and degradability:** Biodegradable. The surfactants contained in the preparation comply with the legal regulations regarding biodegradability.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No data available.

### 12.4. Mobility in soil

**Mobility:** Soluble in water.

### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

**Other adverse effects:** No data available.

## Section 13: Disposal considerations

[cont...]

# SAFETY DATA SHEET

SIEGMUND CLEANBASIC

Page: 6

## 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Recovery operations:** Not applicable.

**Waste code number:** 20 01 29\*

**Disposal of packaging:** Clean with water.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

### 14.1. UN number

**UN number:** not applicable

### 14.2. UN proper shipping name

**Shipping name:** NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF TRANSPORT REGULATIONS.  
(not applicable)

### 14.3. Transport hazard class(es)

**Transport class:** not applicable (not+applicable)

### 14.4. Packing group

**Packing group:** not applicable

### 14.5. Environmental hazards

**Environmentally hazardous:** No

**Marine pollutant:** No

### 14.6. Special precautions for user

**Special precautions:** No special precautions.

**Tunnel code:** not applicable

**Transport category:** not applicable

**IMDG seg. group:** NICHT ZUTREFFEND

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

**Transport in bulk:** Not applicable

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** Not applicable.

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

\* indicates text in the SDS which has changed since the last revision.

Classification according to the clp calculation method.

**Phrases used in s.2 and s.3:** H302: Harmful if swallowed.

H312: Harmful in contact with skin.

[cont...]

# SAFETY DATA SHEET

SIEGMUND CLEANBASIC

Page: 7

H315: Causes skin irritation.

H318: Causes serious eye damage.

H335: May cause respiratory irritation.

H400: Very toxic to aquatic life.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.



